

Revision Date: 06.08.2018

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: CPI®-1009-68

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Refrigeration Lubricants.

Uses advised against: None identified.

1.3 Details of the supplier of the safety data sheet

Supplier

Company Name: LUBRIZOL LIMITED

Address: THE KNOWLE, NETHER LANE

HAZELWOOD, DERBYSHIRE, DE56 4AN

GB

Telephone: (44) 01332-842211

E-mail contact: EUSDS@lubrizol.com {Lubrizol Safety Data Sheets can be obtained at

www.mylubrizol.com}

1.4 Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1) 703 527 3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

This product does not meet the classification requirements of the current European legislation.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

2.2 Label elements according to Regulation (EC) No 1272/2008 as amended

Signal Words: Not applicable

Hazard Statement(s): Not applicable

Precautionary Statements

Not applicable

Supplemental label information

EUH210: Safety data sheet available on request.

Safety data sheet available for professional user on request.

2.3 Other hazards: None identified.

SECTION 3: Composition/information on ingredients

SDS_GB - CPI®-1009-68



Revision Date: 06.08.2018

3.2 Mixtures

Regulation No. 1272/2008.

| Chemical name | Concentration | EC No. | REACH Registration No. | M-Factor: | Notes |
|--|---------------|-----------|---------------------------|-----------|-------|
| White mineral oil (petroleum) | 1 - 10% | 232-455-8 | 01-2119487078- 27 | | |
| Lubricating oils (petroleum), C15- 30, hydrotreated neutral oil- based | 1 - 10% | 276-737-9 | | | |

^{600, 700} and 900 ECHA List Numbers do not have any legal significance; rather they are purely technical identifiers and are displayed for informational purposes only.

Classification Regulation No. 1272/2008.

| Chemical name | Classification | Notes |
|------------------------------------|-------------------|-------|
| White mineral oil (petroleum) | Asp. Tox. 1; H304 | |
| Lubricating oils (petroleum), C15- | Asp. Tox. 1: H304 | |
| 30, hydrotreated neutral oil-based | , 10,11,11001 | |

The full text for all H-phrases is displayed in section 16.

See Section 15 for Regulation (EC) No. 1907/2006 REACH Article 59(1). Candidate List (Substances of Very High Concern (SVHC))

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Launder contaminated clothing before reuse.

Ingestion: Treat symptomatically. Get medical attention.

4.2 Most important symptoms and effects, both acute and

delayed:

See section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

5.1 Extinguishing media

Suitable extinguishing CC media: ex

CO2, Dry chemical or Foam. Water can be used to cool and protect

exposed material.

SDS_GB - CPI®-1009-68 2/13



Revision Date: 06.08.2018

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or

A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional

mixture: information.

5.3 Advice for firefighters

Special fire fighting procedures:

No data available.

Special protective equipment for fire-fighters:

Recommend wearing self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations.

6.2 Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

6.4 Reference to other sections:

See sections 8 and 13 for additional information.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling: Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case of spills, beware of slippery floors and surfaces.

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment.

Maximum Handling Temperature:

Not determined.

7.2 Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. See section 10 for incompatible materials.

Maximum Storage Temperature:

Not determined.

7.3 Specific end use(s): End uses are listed in an attached exposure scenario when one is required.

SDS_GB - CPI®-1009-68 3/13



Revision Date: 06.08.2018

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

No special requirements under ordinary conditions of use and with adequate ventilation. Adequate ventilation should be provided so that

exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

General information: Please follow the recommended personal protective equipment (PPE)

guidelines below and refer to the appropriate EN standard where applicable. Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended. Eye

protection should meet the standards set out in EN 166.

Skin protection

Hand Protection: Use nitrile or neoprene gloves. Use good industrial hygiene practices. In

case of skin contact, wash hands and arms with soap and water.

General: Because specific work environments and material handling practices vary,

safety procedures should be specific for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures). Gloves should be chosen in consultation with the supplier / manufacturer and taking account of a full assessment of

the working conditions. For typical use and handling of chemical substances, gloves should meet the standards set out in EN 374. For applications involving mechanical risks with potential for abrasion or puncture, the standards set out in EN 388 should be considered. For tasks involving thermal hazards, the standards set out in EN 407 should be

considered.

Break-through time: Breakthrough time data are generated by glove manufacturers under

laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove

type.

For continuous contact, we suggest gloves with a minimum breakthrough time of 240 minutes, or > 480 minutes if suitable gloves can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to. For short-term, transient exposures and splash protection, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously

followed.

SDS GB - CPI®-1009-68 4/13



Revision Date: 06.08.2018

Glove thickness: For general applications, we recommend gloves with a thickness typically

greater than 0.35 mm.

It is important to note that glove thickness is not the only predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

Therefore, glove selection should also be based on consideration of the

task requirements and knowledge of breakthrough times.

Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most

appropriate glove for the task.

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example: Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, before being disposed of. Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where

there is abrasion or puncture potential.

Other: No data available.

Respiratory Protection: Use disposable dust/mist mask if the recommended exposure limit is

exceeded. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

Respiratory Protective Equipment (RPE) is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment.

Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in

consultation with the supplier/manufacturer and with a full assessment of

the working conditions.

Please refer to the relevant EN standards for the RPE selected.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental No data available.
Controls: See section 6 for details.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid

Color: Colorless to yellow

SDS_GB - CPI®-1009-68 5/13



Revision Date: 06.08.2018

Odor: Mild

Odor Threshold:

pH:

No data available.

Flash Point: 226 °C (Cleveland Open Cup)

Evaporation Rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

No data available.

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.
Partition coefficient (n-octanol/water): No data available.

Autoignition Temperature: 246 °C

Decomposition Temperature: No data available.

Viscosity: 69 mm2/s (40 °C); 9.1 mm2/s (100 °C)

Explosive properties:

Oxidizing properties:

No data available.

No data available.

No data available.

Other information

Bulk density: 7.4 lb/gal (25 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity: No data available.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Will not occur.

10.4 Conditions to avoid: Do not expose to excessive heat, ignition sources, or oxidizing materials.

10.5 Incompatible Materials: Strong acids. Oxidizing agents. Strong oxidizing agents.

10.6 HazardousThermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

SDS_GB - CPI®-1009-68 6/13



Revision Date: 06.08.2018

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Prolonged or repeated skin contact as from clothing wet with

material may cause dermatitis. Symptoms may include redness,

edema, drying, and cracking of the skin.

Remarks: Not classified as a primary skin irritant.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

White mineral oil (petroleum) Classification: Not a skin sensitizer. (Literature)
Lubricating oils (petroleum), C15- Classification: Not a skin sensitizer. (Read across)

30, hydrotreated neutral oil-based

Specific Target Organ Toxicity - Single Exposure:

Product: If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

White mineral oil (petroleum) If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Aspiration Hazard:

White mineral oil (petroleum) Material can be aspirated into the lungs during the act of swallowing

or vomiting. This could result in severe injury to the lungs and death.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.

SDS_GB - CPI®-1009-68 7/13



Revision Date: 06.08.2018

Chronic Effects Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not

considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346

test.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. This product contains

mineral oils which are severely refined and not considered

carcinogenic.

Germ Cell Mutagenicity:

No data available

Reproductive toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure:

No data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish

White mineral oil (petroleum) LC 50 (Not reported, 96 h): > 10,000 mg/l

NOEC (Not reported, 96 h): > 10,000 mg/l

Aquatic Invertebrates

White mineral oil (petroleum) EC 50 (Water flea (Daphnia magna), 2 d): > 100 mg/l

NOEC (Water flea (Daphnia magna), 2 d): >= 100 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Lubricating oils (petroleum), C15-

30, hydrotreated neutral oil-based

EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Toxicity to Aquatic Plants

White mineral oil (petroleum) LC 50 (Algae (Pseudokirchneriella subcapitata), 3 d): > 100 mg/l

NOEC (Algae (Pseudokirchneriella subcapitata), 3 d): > 100 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

SDS_GB - CPI®-1009-68 8/13



Revision Date: 06.08.2018

Toxicity to microorganisms

No data available

12.2 Persistence and Degradability

Biodegradation

White mineral oil (petroleum)

Oxygen depletion 31.13 % (28 d, OECD TG 301 F)

Lubricating oils (petroleum), C15
Oxygen depletion 31 % (28 d, OECD TG 301 F)

30, hydrotreated neutral oil-based

BOD/COD Ratio

No data available

12.3 Bioaccumulative Potential

Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow)

No data available

12.4 Mobility:

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other Adverse Effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods: Treatment, storage, transportation, and disposal must be in accordance

with applicable Federal, State/Provincial, and Local regulations.

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

Contaminated Packaging: Container packaging may exhibit hazards.

SECTION 14: Transport information

ADR

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

None known.

SDS GB - CPI®-1009-68 9/13



Revision Date: 06.08.2018

Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. For transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:

None present or none present in regulated quantities.

Regulation (EC) No. 850/2004 on persistent organic pollutants:

None present or none present in regulated quantities.

Regulation (EC) No. 689/2008 Import and export of dangerous chemicals:

None present or none present in regulated quantities.

Regulation (EC) No. 1907/2006, REACH Article 59(1). Candidate List:

None present or none present in regulated quantities.

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: None present or none present in regulated quantities.

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

None present or none present in regulated quantities.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

None present or none present in regulated quantities.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding .:

| Chemical name | EC No. | Concentration |
|---------------------------------------|-----------|---------------|
| Lubricating oils, petroleum, C20-50, | 276-738-4 | 90 - 100% |
| hydrotreated neutral oil-based | | |
| Lubricating oils (petroleum), C15-30, | 276-737-9 | 1.0 - 10% |
| hydrotreated neutral oil-based | | |
| | 276-737-9 | 0.1 - 1.0% |

Directive 96/82/EC (Seveso III): on the control of major accident hazards involving dangerous substances:

| Chemical name | EC No. | Concentration |
|---------------------------------------|-----------|---------------|
| Lubricating oils, petroleum, C20-50, | 276-738-4 | 90 - 100% |
| hydrotreated neutral oil-based | | |
| Lubricating oils (petroleum), C15-30, | 276-737-9 | 1.0 - 10% |
| hydrotreated neutral oil-based | | |
| | 276-737-9 | 0.1 - 1.0% |

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: None present or none present in regulated quantities.

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work: None present or none present in regulated quantities.

SDS GB - CPI®-1009-68 10/13



Revision Date: 06.08.2018

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Key literature references and Internal company data and other publically available resources. **sources for data:**

Wording of the H-statements in section 2 and 3:

H304 May be fatal if swallowed and enters airways.

Other information:

SDS GB - CPI®-1009-68



Revision Date: 06.08.2018

Abbreviations and acronyms:

ACGIH - American Conference of Governmental Industrial Hygienist

ADR - International Carriage of Dangerous Goods by Road

AICS - Australian Inventory of Chemical Substances

ATEmix - Acute Toxicity Estimate for the mixture

BCF - Bio concentration factor

DMSO - Dimethyl sulfoxide

DSL - Domestic Substance List

EC50 - Effective concentration that gives a response in 50% of the population

ECHA - European Chemical Agency

ECL - Existing Chemical List

ENCS - Existing and New Chemical Substances

EPA - Environmental Protection Agency

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IECSC - Inventory of Existing Chemical Substances

IMDG - International Maritime Dangerous Goods

IP 346 – A gravimetric assay used to determine the percentage weight of polycyclic aromatics in oil, via a DMSO extraction technique

LC50 - Lethal concentration required to kill 50% of the population

MARPOL - International Conventions for the Prevention of Pollution from Ships

NDSL - Non Domestic Substance List

NOAEC - No observed adverse effect concentration

NOAEL - No observed adverse effect level

NOEC - No observed effective concentration

NTP - National Toxicology Program

NZloc - New Zealand Inventory of chemicals

OECD TG - Organization for Economic Cooperation and Development Test Guidelines

OSHA - Occupational, Safety, and Health Administration

PBT - Persistent bioaccumulative toxic chemical

PEL - Permissible Exposure Level

PICCS - Philippine Inventory of Chemicals and Chemical Substances

PPE - Personal Protective Equipment

PRTR - Pollutant Release and Transfer Register

REACH - Registration, Evaluation, Authorization & restriction of Chemicals

SVHC - Substance of Very High Concern

SWISS - Switzerland chemical ordinance

TCSCA - Toxic Chemical Substance Control Act

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

vPvB - very Persistent very Bioaccumulative

Issue Date: 06.08.2018

Disclaimer: As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.

Revision Information:

| SECTION 2: Hazards De | Deleted | Phrase text | not applicable |
|-----------------------|---------|-------------|----------------|
|-----------------------|---------|-------------|----------------|

SDS GB - CPI®-1009-68 12/13



Revision Date: 06.08.2018

| identification | | | |
|-----------------------------------|---------|-------------|------------------------|
| SECTION 2: Hazards identification | Deleted | Phrase text | not applicable |
| 10.011 | | | |
| SECTION 2: Hazards | Deleted | Remarks | not applicable |
| identification | | | |
| SECTION 11: | Deleted | Remarks | Not a skin sensitizer. |
| Toxicological information | | | |

SDS_GB - CPI®-1009-68 13/13